

# **Michigan Behavioral Risk Factor Surveillance System**

## **Selected Tables from the 2001 Survey**

**Michigan Department of Community Health  
Health Administration  
Bureau of Epidemiology  
Division of Epidemiology Services  
Chronic Disease Epidemiology Section  
517-335-9080**

<b>Health Care Access</b> 2001 Michigan BRFS (percentages with 95% confidence interval limits)									
Demographic Characteristics	Had Health Care Coverage Ages 18+ <sup>1</sup>			No Health Coverage Sometime During Past 12 Months <sup>2</sup>			No Personal Health Care Provider <sup>3</sup>		
<b>TOTAL</b>	<b>90.1</b>	<b>"</b>	<b>1.1</b>	<b>"</b>	<b>1.3</b>		<b>18.5</b>	<b>"</b>	<b>1.4</b>
<b>AGE</b>									
18-24 Years	82.8	"	4.4	29.0	"	5.3	35.9	"	5.7
25-34 Years	84.5	"	3.3	24.1	"	3.8	26.4	"	3.9
35-44 Years	90.1	"	2.3	15.3	"	2.7	17.9	"	2.9
45-54 Years	92.1	"	2.2	11.3	"	2.6	14.2	"	2.7
55-64 Years	91.6	"	2.7	9.0	"	2.7	10.2	"	3.0
65-74 Years	99.2	"	0.8	1.3	"	1.0	6.8	"	2.9
75+ Years	99.8	"	0.5*	1.0	"	1.2*	6.0	"	2.5
<b>GENDER</b>									
Male	89.2	"	1.8	16.0	"	2.1	22.9	"	2.4
Female	91.0	"	1.4	14.0	"	1.6	14.2	"	1.7
<b>RACE</b>									
White	91.2	"	1.2	13.3	"	1.4	17.0	"	1.5
Black	84.5	"	4.1	23.9	"	4.7	25.4	"	4.8
<b>EDUCATION</b>									
Less than High School	82.4	"	4.5	21.9	"	4.8	19.2	"	4.6
High School Graduate	86.8	"	2.3	18.4	"	2.5	19.9	"	2.6
Some College	92.0	"	1.7	14.5	"	2.3	17.7	"	2.6
College Graduate	95.7	"	1.5	8.1	"	1.9	16.6	"	2.5
<b>HOUSEHOLD INCOME</b>									
<\$20,000	78.1	"	4.2	28.7	"	4.5	23.2	"	4.3
\$20,000-34,999	84.1	"	2.9	29.3	"	3.4	21.8	"	3.2
\$35,000-49,999	94.5	"	1.9	10.7	"	2.7	18.1	"	3.5
\$50,000-74,999	94.3	"	2.4	8.9	"	2.9	16.1	"	3.4
\$75,000	97.7	"	1.5	4.2	"	1.8	13.2	"	3.1
<sup>1</sup> Proportion of respondents aged 18 and older who reported they had any kind of health care coverage. <sup>2</sup> Proportion of respondents who reported that there was a time during the previous 12 months when they did not have any health insurance or coverage. <sup>3</sup> Proportion of respondents who reported that they did not have anyone that they thought of as their personal doctor or health care provider. *95% confidence interval exceeds possible limits.									

<b>Health Status</b> 2001 Michigan BRFS (percentages and means, with 95% confidence interval limits)												
Demographic Characteristics	General Health Fair or Poor <sup>1</sup> (percentage)			Physical Health Poor <sup>2</sup> (mean days)			Mental Health Poor <sup>3</sup> (mean days)			Limited Activity <sup>4</sup> (mean days)		
<b>TOTAL</b>	<b>14.9</b>	<b>"</b>	<b>1.2</b>	<b>3.7</b>	<b>"</b>	<b>0.3</b>	<b>3.8</b>	<b>"</b>	<b>0.3</b>	<b>2.2</b>	<b>"</b>	<b>0.2</b>
<b>AGE</b>												
18-24 Years	9.3	"	3.4	2.3	"	0.6	4.1	"	0.8	1.3	"	0.4
25-34 Years	8.4	"	2.4	3.1	"	0.6	4.5	"	0.7	2.1	"	0.5
35-44 Years	8.6	"	2.1	2.9	"	0.5	3.9	"	0.5	2.0	"	0.5
45-54 Years	15.4	"	2.7	3.8	"	0.6	4.0	"	0.6	2.3	"	0.5
55-64 Years	18.4	"	3.6	4.5	"	0.9	3.4	"	0.7	2.7	"	0.7
65-74 Years	25.7	"	4.8	5.3	"	1.1	2.3	"	0.7	2.7	"	0.9
75+ Years	35.5	"	5.7	6.0	"	1.2	1.8	"	0.6	2.3	"	0.8
<b>GENDER</b>												
Male	13.1	"	1.8	3.2	"	0.4	3.0	"	0.4	2.0	"	0.3
Female	16.3	"	1.6	4.0	"	0.4	4.3	"	0.4	2.3	"	0.3
<b>RACE</b>												
White	14.2	"	1.3	3.6	"	0.3	3.6	"	0.3	2.1	"	0.2
Black	18.0	"	3.8	3.6	"	0.7	4.5	"	0.9	2.8	"	0.7
<b>EDUCATION</b>												
Less than High School	31.6	"	5.0	5.5	"	1.0	4.2	"	0.9	3.6	"	0.9
High School Graduate	18.5	"	2.4	4.1	"	0.5	3.9	"	0.5	2.3	"	0.4
Some College	12.1	"	2.0	3.5	"	0.5	4.2	"	0.5	2.1	"	0.4
College Graduate	5.5	"	1.4	2.5	"	0.4	2.7	"	0.4	1.5	"	0.3
<b>HOUSEHOLD INCOME</b>												
<\$20,000	30.3	"	4.3	6.7	"	1.0	4.8	"	0.8	4.5	"	0.8
\$20,000-34,999	20.1	"	3.0	4.5	"	0.6	4.6	"	0.6	2.3	"	0.5
\$35,000-49,999	9.6	"	2.6	3.0	"	0.6	3.7	"	0.7	1.7	"	0.5
\$50,000-74,999	6.0	"	2.0	2.2	"	0.5	3.2	"	0.6	1.3	"	0.4
\$75,000	6.4	"	2.1	2.1	"	0.5	2.5	"	0.5	1.2	"	0.4
<sup>1</sup> Proportion of respondents who said that their health, in general, was fair or poor. <sup>2</sup> Mean number of days during the past 30 days in which physical health (including illness and injury) was not good. <sup>3</sup> Mean number of days during the past 30 days in which mental health (including stress, depression, and problems with emotions) was not good. <sup>4</sup> Mean number of days during the past 30 days in which poor physical or mental health kept respondent from doing usual activities, such as self-care, work, or recreation.												

<b>Disability Indicators</b> 2001 Michigan BRFs (in percentages with 95% confidence interval limits)						
Demographic Characteristics	Limited in Any Activities <sup>1</sup>			Requires Special Equipment <sup>2</sup>		
<b>TOTAL</b>	<b>18.2</b>	<b>"</b>	<b>1.3</b>	<b>6.1</b>	<b>"</b>	<b>0.8</b>
<b>AGE</b>						
18-24 Years	8.9	"	3.4	0.7	"	0.8*
25-34 Years	10.1	"	2.6	3.0	"	1.6
35-44 Years	15.2	"	2.7	3.9	"	1.5
45-54 Years	22.8	"	3.2	6.7	"	2.1
55-64 Years	24.5	"	3.9	7.5	"	2.4
65-74 Years	25.7	"	4.8	11.0	"	3.3
75+ Years	33.2	"	5.6	19.8	"	4.8
<b>GENDER</b>						
Male	17.3	"	2.1	4.9	"	1.2
Female	19.0	"	1.7	7.2	"	1.1
<b>RACE</b>						
White	18.4	"	1.5	5.5	"	0.8
Black	17.2	"	3.7	9.6	"	3.1
<b>EDUCATION</b>						
Less than High School	29.0	"	4.9	13.5	"	3.6
High School Graduate	18.2	"	2.3	6.2	"	1.5
Some College	19.6	"	2.5	5.9	"	1.4
College Graduate	11.8	"	2.1	3.1	"	1.2
<b>HOUSEHOLD INCOME</b>						
<\$20,000	31.7	"	4.4	14.2	"	3.3
\$20,000-34,999	20.3	"	2.9	6.9	"	1.8
\$35,000-49,999	16.7	"	3.3	3.9	"	1.7
\$50,000-74,999	12.2	"	2.8	3.3	"	1.6
\$75,000	12.8	"	2.8	2.6	"	1.4
<sup>1</sup> Responded "yes" to the question, "Are you limited in any way in any activities because of physical, mental, or emotional problems?" <sup>2</sup> Responded "yes" to the question, "Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?" *95% confidence interval exceeds possible limits.						

<b>Immunizations</b> Among Adults Aged 65 Years and Older 2001 Michigan BRFS (in percentages with 95% confidence interval limits)						
Demographic Characteristics	Had Flu Shot In Past Year <sup>1</sup>			Ever Had Pneumonia Vaccination <sup>2</sup>		
<b>TOTAL</b>	<b>60.1</b>	<b>"</b>	<b>4.0</b>	<b>58.1</b>	<b>"</b>	<b>4.1</b>
<b>GENDER</b>						
Male	60.4	"	6.6	56.2	"	6.9
Female	60.8	"	5.0	59.3	"	5.1
<b>RACE</b>						
White	61.9	"	4.2	60.3	"	4.3
Black	48.9	"	13.7	42.5	"	14.1
<b>EDUCATION</b>						
Less than High School	56.7	"	8.5	52.1	"	8.7
High School Graduate	58.4	"	6.8	54.5	"	7.0
Some College	63.0	"	7.9	64.2	"	8.0
College Graduate	67.6	"	9.1	64.4	"	9.6
<sup>1</sup> Proportion of respondents 65 years or older who reported having had a flu shot during the previous 12 months. <sup>2</sup> Proportion of respondents 65 years or older who reported ever having had a pneumonia vaccination.						

<b>Diabetes</b> 2001 Michigan BRFS (percentages with 95% confidence interval limits)			
Demographic Characteristics	Ever Told Have Diabetes <sup>1</sup>		
<b>TOTAL</b>	<b>7.2</b>	<b>"</b>	<b>0.9</b>
<b>AGE</b>			
18-24 Years	2.2	"	2.0
25-34 Years	1.2	"	1.1
35-44 Years	3.9	"	1.4
45-54 Years	8.8	"	2.2
55-64 Years	12.2	"	3.0
65-74 Years	17.7	"	4.1
75+ Years	16.1	"	4.5
<b>GENDER</b>			
Male	6.7	"	1.3
Female	7.4	"	1.2
<b>RACE</b>			
White	6.6	"	0.9
Black	10.1	"	2.9
<b>EDUCATION</b>			
Less than High School	14.0	"	3.5
High School Graduate	8.4	"	1.7
Some College	6.0	"	1.4
College Graduate	4.0	"	1.3
<b>HOUSEHOLD INCOME</b>			
<\$20,000	11.0	"	2.8
\$20,000-34,999	8.1	"	2.0
\$35,000-49,999	6.3	"	2.1
\$50,000-74,999	4.6	"	1.8
\$75,000	4.6	"	1.8
<sup>1</sup> Proportion of respondents who reported that they had ever been told by a doctor that they had diabetes (gestational diabetes excluded).			

<b>High Blood Pressure</b> 2001 Michigan BRFSS (in percentages with 95% confidence interval limits)						
Demographic Characteristics	Ever Told High Blood Pressure <sup>1</sup>			Taking Blood Pressure Medication <sup>2</sup>		
<b>TOTAL</b>	<b>27.1</b>	<b>"</b>	<b>1.5</b>	<b>69.0</b>	<b>"</b>	<b>3.1</b>
<b>AGE</b>						
18-34 Years	10.7	"	2.2	26.8	"	9.1
35-44 Years	19.2	"	3.0	38.8	"	8.6
45-54 Years	28.8	"	3.4	65.2	"	6.9
55-64 Years	43.0	"	4.6	84.2	"	5.2
65-74 Years	57.4	"	5.4	91.6	"	4.1
75+ Years	53.0	"	6.0	91.9	"	4.1
<b>GENDER</b>						
Male	26.9	"	2.4	60.5	"	5.1
Female	27.1	"	1.9	76.5	"	3.6
<b>RACE</b>						
White	26.3	"	1.6	68.2	"	3.5
Black	31.9	"	4.7	71.2	"	8.2
<b>EDUCATION</b>						
Less than High School	36.5	"	5.1	76.9	"	7.8
High School Graduate	30.7	"	2.8	71.4	"	5.1
Some College	24.1	"	2.7	64.8	"	6.2
College Graduate	21.8	"	2.7	63.5	"	6.8
<b>HOUSEHOLD INCOME</b>						
<\$20,000	34.2	"	4.4	77.9	"	6.6
\$20,000-34,999	29.2	"	3.3	72.4	"	6.1
\$35,000-49,999	23.8	"	3.7	64.7	"	8.7
\$50,000-74,999	23.6	"	3.7	59.5	"	9.0
\$75,000	20.8	"	3.4	57.7	"	9.3
<sup>1</sup> Among all respondents, the proportion who reported that they had ever been told by a health professional that their blood pressure was high. <sup>2</sup> Among those ever told they had high blood pressure, the proportion who reported that they were currently taking medicine for their high blood pressure.						

<b>Cholesterol</b> 2001 Michigan BRFSS (in percentages with 95% confidence interval limits)									
Demographic Characteristics	Cholesterol Ever Checked <sup>1</sup>			Checked Within Past Five Years <sup>2</sup>			Ever Told Cholesterol Was High <sup>3</sup>		
<b>TOTAL</b>	<b>79.5</b>	<b>"</b>	<b>1.5</b>	<b>74.5</b>	<b>"</b>	<b>1.6</b>	<b>33.0</b>	<b>"</b>	<b>1.8</b>
<b>AGE</b>									
18-24 Years	47.2	"	6.1	44.7	"	6.2	9.1	"	4.9
25-34 Years	66.2	"	4.2	59.7	"	4.4	16.9	"	4.0
35-44 Years	80.4	"	3.1	72.5	"	3.4	28.0	"	3.8
45-54 Years	90.1	"	2.4	85.3	"	2.7	37.7	"	4.0
55-64 Years	92.3	"	2.7	88.1	"	3.1	44.9	"	4.8
65-74 Years	95.3	"	2.6	92.8	"	3.0	49.6	"	5.6
75+ Years	95.3	"	2.5	92.8	"	3.1	44.1	"	6.1
<b>GENDER</b>									
Male	76.5	"	2.5	71.3	"	2.6	35.4	"	2.9
Female	82.4	"	1.9	77.6	"	2.0	31.0	"	2.2
<b>RACE</b>									
White	79.8	"	1.7	74.3	"	1.8	33.7	"	2.0
Black	78.3	"	4.6	76.1	"	4.8	29.2	"	5.3
<b>EDUCATION</b>									
Less than High School	76.0	"	5.1	71.8	"	5.3	38.7	"	5.9
High School Graduate	73.8	"	3.0	70.1	"	3.0	36.6	"	3.4
Some College	81.2	"	2.8	76.0	"	3.0	32.2	"	3.3
College Graduate	86.6	"	2.4	79.7	"	2.8	28.1	"	3.2
<b>HOUSEHOLD INCOME</b>									
<\$20,000	68.9	"	4.9	64.7	"	5.0	41.1	"	5.5
\$20,000-34,999	76.2	"	3.4	70.3	"	3.6	33.5	"	3.9
\$35,000-49,999	78.6	"	3.8	72.7	"	4.0	32.3	"	4.6
\$50,000-74,999	84.4	"	3.5	78.8	"	3.9	29.0	"	4.3
\$75,000	86.2	"	3.3	81.6	"	3.5	27.4	"	4.0
<sup>1</sup> Proportion of respondents who reported ever having had their cholesterol checked. <sup>2</sup> Proportion of respondents who reported having had their cholesterol checked within the previous five years. <sup>3</sup> Of respondents who had ever had their cholesterol checked, the proportion who had been told by a health professional that their cholesterol was high.									



<b>Cigarette Smoking Status</b> 2001 Michigan BRFS (percentages with 95% confidence interval limits)									
Demographic Characteristics	Current Smoker <sup>1</sup>			Former Smoker <sup>2</sup>			Never Smoked		
<b>TOTAL</b>	<b>26.1</b>	<b>"</b>	<b>1.6</b>	<b>25.7</b>	<b>"</b>	<b>1.5</b>	<b>48.3</b>	<b>"</b>	<b>1.8</b>
<b>AGE</b>									
18-24 Years	34.3	"	5.6	8.6	"	3.3	57.0	"	5.9
25-34 Years	31.8	"	4.1	16.2	"	3.1	52.0	"	4.3
35-44 Years	33.5	"	3.6	19.4	"	2.9	47.2	"	3.7
45-54 Years	26.5	"	3.3	29.9	"	3.5	43.6	"	3.8
55-64 Years	19.5	"	3.8	39.2	"	4.6	41.3	"	4.6
65-74 Years	12.2	"	3.8	43.9	"	5.5	43.9	"	5.4
75+ Years	5.1	"	2.6	44.2	"	6.0	50.8	"	6.0
<b>GENDER</b>									
Male	27.9	"	2.6	28.7	"	2.4	43.4	"	2.7
Female	24.6	"	2.0	22.7	"	1.8	52.7	"	2.3
<b>RACE</b>									
White	26.0	"	1.7	27.2	"	1.7	46.8	"	1.9
Black	28.6	"	4.9	17.7	"	3.8	53.7	"	5.3
<b>EDUCATION</b>									
Less than High School	40.7	"	5.5	27.3	"	4.7	32.0	"	5.1
High School Graduate	31.3	"	3.0	27.4	"	2.7	41.3	"	3.1
Some College	25.6	"	2.9	23.5	"	2.7	50.9	"	3.3
College Graduate	14.3	"	2.4	25.2	"	2.8	60.5	"	3.2
<b>HOUSEHOLD INCOME</b>									
<\$20,000	36.5	"	4.7	22.6	"	3.9	40.9	"	4.8
\$20,000-34,999	33.5	"	3.6	26.2	"	3.2	40.3	"	3.7
\$35,000-49,999	29.4	"	4.0	25.0	"	3.7	45.7	"	4.3
\$50,000-74,999	21.1	"	3.7	28.8	"	4.0	50.2	"	4.5
\$75,000	18.0	"	3.4	26.6	"	3.7	55.5	"	4.2
<sup>1</sup> Proportion of respondents who reported that they had ever smoked at least 100 cigarettes in their life and that they smoke cigarettes now. <sup>2</sup> Proportion of respondents who reported that they had ever smoked at least 100 cigarettes in their life but that they do not smoke cigarettes now.									

Preliminary Estimates  
April 2, 2002

<b>Quit Attempts Among Smokers</b> 2001 Michigan BRFs (percentages with 95% confidence interval limits)			
Demographic Characteristics	Tried to Quit Smoking One Day or Longer in Past Year <sup>1</sup>		
<b>TOTAL</b>	<b>58.3</b>	<b>"</b>	<b>3.5</b>
<b>AGE</b>			
18-34 Years	60.6	"	6.2
35-54 Years	57.1	"	4.9
55+ Years	57.7	"	8.5
<b>GENDER</b>			
Male	57.1	"	5.4
Female	59.6	"	4.5
<b>RACE</b>			
White	56.1	"	3.9
Black	69.9	"	9.7
<b>EDUCATION</b>			
Less than High School	52.1	"	9.1
High School Graduate	56.9	"	5.7
Some College	62.7	"	6.3
College Graduate	61.5	"	8.6
<b>HOUSEHOLD INCOME</b>			
<\$20,000	66.9	"	7.5
\$20,000-34,999	60.6	"	6.7
\$35,000-49,999	55.3	"	8.3
\$50,000	55.2	"	7.3
<sup>1</sup> Among all current smokers.			

Preliminary Estimates  
April 2, 2002

<b>Weight Status<sup>1</sup></b> 2001 Michigan BRFS (percentages with 95% confidence interval limits)												
Demographic Characteristics	Obese			Overweight			Healthy Weight			Underweight		
<b>TOTAL</b>	<b>24.7</b>	<b>"</b>	<b>1.5</b>	<b>35.7</b>	<b>"</b>	<b>1.7</b>	<b>38.3</b>	<b>"</b>	<b>1.8</b>	<b>1.3</b>	<b>"</b>	<b>0.4</b>
<b>AGE</b>												
18-24 Years	10.8	"	3.8	23.5	"	5.1	63.3	"	5.8	2.4	"	1.6
25-34 Years	20.7	"	3.7	34.1	"	4.3	44.1	"	4.4	1.2	"	0.9
35-44 Years	25.3	"	3.4	37.0	"	3.8	36.4	"	3.6	1.4	"	0.8
45-54 Years	31.0	"	3.7	38.6	"	3.8	29.7	"	3.5	0.8	"	0.6
55-64 Years	34.2	"	4.5	36.6	"	4.6	28.7	"	4.3	0.6	"	0.6
65-74 Years	31.5	"	5.3	41.0	"	5.5	26.3	"	5.0	1.1	"	1.1
75+ Years	19.5	"	4.8	41.5	"	6.1	37.1	"	5.9	1.8	"	1.6
<b>GENDER</b>												
Male	25.1	"	2.4	42.8	"	2.7	31.7	"	2.6	0.3	"	0.3
Female	24.3	"	2.0	28.8	"	2.1	44.7	"	2.3	2.2	"	0.7
<b>RACE</b>												
White	23.2	"	1.6	36.0	"	1.9	39.6	"	1.9	1.3	"	0.4
Black	34.3	"	5.1	35.8	"	5.2	28.8	"	5.0	1.2	"	1.2
<b>EDUCATION</b>												
Less than High School	27.6	"	4.9	34.2	"	5.4	36.1	"	5.4	2.0	"	1.6
High School Graduate	25.8	"	2.8	34.2	"	3.0	38.9	"	3.2	1.2	"	0.6
Some College	26.6	"	2.9	35.2	"	3.2	37.0	"	3.3	1.2	"	0.6
College Graduate	20.1	"	2.8	39.2	"	3.4	39.7	"	3.3	1.1	"	0.7
<b>HOUSEHOLD INCOME</b>												
<\$20,000	29.6	"	4.4	30.6	"	4.5	37.4	"	4.9	2.4	"	1.5
\$20,000-34,999	26.3	"	3.4	34.2	"	3.6	38.3	"	3.7	1.2	"	0.7
\$35,000-49,999	26.7	"	4.0	36.0	"	4.3	36.6	"	4.3	0.7	"	0.7
\$50,000-74,999	22.6	"	3.8	41.7	"	4.6	35.2	"	4.4	0.6	"	0.6
≥\$75,000	20.9	"	3.4	38.9	"	4.2	38.9	"	4.2	1.3	"	0.9
<sup>1</sup> Prevalence estimates for weight status were based on body mass index (BMI) as calculated from the self-reported weight and height measurements. BMI is defined as weight (in kilograms) divided by height (in meters) squared [weight in kg/(height in meters) <sup>2</sup> ]. Weight status categories were defined as follows: Obese BMI ≥ 30, Overweight BMI 25.0 - 29.9, Healthy Weight BMI 18.5 - 24.9, and Underweight BMI < 18.5. Pregnant women were excluded from this analysis.												

Preliminary Estimates  
April 2, 2002

<b>Weight Status ("Old Definitions")<sup>1</sup></b> 2001 Michigan BRFs (percentages with 95% confidence interval limits)									
Demographic Characteristics	Overweight			Healthy Weight			Underweight		
<b>TOTAL</b>	<b>38.8</b>	<b>"</b>	<b>1.8</b>	<b>57.2</b>	<b>"</b>	<b>1.8</b>	<b>4.0</b>	<b>"</b>	<b>0.7</b>
<b>AGE</b>									
18-24 Years	17.1	"	4.4	75.0	"	5.1	7.9	"	3.0
25-34 Years	33.8	"	4.3	59.9	"	4.4	6.2	"	2.3
35-44 Years	39.6	"	3.8	56.4	"	3.8	4.0	"	1.5
45-54 Years	48.4	"	3.9	49.4	"	3.9	2.2	"	1.1
55-64 Years	48.9	"	4.8	49.4	"	4.8	1.7	"	1.1
65-74 Years	48.6	"	5.6	50.1	"	5.6	1.3	"	1.1
75+ Years	35.9	"	5.9	61.0	"	6.0	3.2	"	2.0
<b>GENDER</b>									
Male	38.5	"	2.7	57.7	"	2.7	3.8	"	1.1
Female	39.1	"	2.3	56.7	"	2.3	4.2	"	0.9
<b>RACE</b>									
White	37.3	"	1.9	58.5	"	1.9	4.1	"	0.8
Black	49.2	"	5.4	48.0	"	5.4	2.8	"	1.8
<b>EDUCATION</b>									
Less than High School	40.2	"	5.5	54.2	"	5.6	5.6	"	2.8
High School Graduate	41.5	"	3.2	54.5	"	3.2	4.0	"	1.3
Some College	39.9	"	3.2	56.2	"	3.3	4.0	"	1.3
College Graduate	33.8	"	3.2	63.0	"	3.3	3.2	"	1.2
<b>HOUSEHOLD INCOME</b>									
<\$20,000	41.1	"	4.8	53.0	"	4.9	5.9	"	2.3
\$20,000-34,999	43.1	"	3.8	52.7	"	3.8	4.3	"	1.6
\$35,000-49,999	41.8	"	4.4	54.8	"	4.4	3.5	"	1.6
\$50,000-74,999	38.3	"	4.5	58.6	"	4.5	3.0	"	1.7
\$75,000	34.7	"	4.1	61.8	"	4.2	3.5	"	1.7
<sup>1</sup> Prevalence estimates for weight status were based on body mass index (BMI) as calculated from the self-reported weight and height measurements. BMI is defined as weight (in kilograms) divided by height (in meters) squared [weight in kg/(height in meters) <sup>2</sup> ]. Weight status categories were defined as follows: Overweight: (>85th percentile) >27.8 BMI for males and >27.3 BMI for females; Healthy Weight: (>15th and <85th percentile) >20.7 to <27.8 BMI for males and >19.1 to <27.3 BMI for females; Underweight: (<15th percentile) <20.7 BMI for males and <19.1 BMI for females. Pregnant women were excluded from this analysis.									

Preliminary Estimates  
April 2, 2002

Physical Activity 2001 Michigan BRFS (percentages with 95% confidence interval limits)									
Demographic Characteristics	No Activity <sup>1</sup>			Inadequate Physical Activity <sup>2</sup>			Inadequate Vigorous Physical Activity <sup>3</sup>		
TOTAL	23.5	±	1.5	55.2	±	1.8	75.8	±	1.6
AGE									
18-24 Years	13.3	±	4.0	42.4	±	5.9	60.1	±	5.9
25-34 Years	21.3	±	3.6	52.1	±	4.4	71.1	±	4.0
35-44 Years	20.1	±	3.0	52.0	±	3.8	73.1	±	3.4
45-54 Years	26.4	±	3.4	59.8	±	3.8	78.5	±	3.2
55-64 Years	24.9	±	4.0	57.1	±	4.7	82.3	±	3.6
65-74 Years	28.6	±	5.0	60.1	±	5.7	86.1	±	4.0
75+ Years	40.7	±	6.0	75.0	±	5.4	93.9	±	3.2
GENDER									
Male	20.5	±	2.2	52.3	±	2.8	69.1	±	2.6
Female	26.2	±	2.0	58.0	±	2.3	81.8	±	1.8
RACE									
White	22.5	±	1.6	53.6	±	2.0	75.2	±	1.7
Black	29.9	±	4.8	65.8	±	5.2	80.1	±	4.4
EDUCATION									
Less than High School	37.9	±	5.3	59.3	±	5.6	81.6	±	4.6
High School Graduate	29.9	±	2.8	58.2	±	3.2	78.8	±	2.7
Some College	21.9	±	2.6	53.8	±	3.3	75.1	±	2.9
College Graduate	10.9	±	2.0	51.5	±	3.4	70.4	±	3.1
HOUSEHOLD INCOME									
<\$20,000	33.7	±	4.5	62.0	±	4.9	83.0	±	4.0
\$20,000-34,999	26.9	±	3.3	56.0	±	3.8	81.3	±	3.0
\$35,000-49,999	21.8	±	3.6	55.8	±	4.4	74.5	±	3.9
\$50,000-74,999	18.1	±	3.5	53.1	±	4.5	73.5	±	4.1
\$75,000	13.3	±	2.9	50.3	±	4.3	66.4	±	4.1
<sup>1</sup> Proportion of respondents who reported they did not participate in any physical activities, recreation, or exercises in their leisure time (such as running, golf, or walking for exercise) within the past month.									
<sup>2</sup> Proportion of respondents who reported they do not usually do moderate physical activities for a total of at least 30 minutes on five or more days per week and do not do vigorous activities for a total of at least 20 minutes on three or more days per week (while not at work).									
<sup>3</sup> Proportion of respondents who reported they do not usually do vigorous activities for a total of at least 20 minutes on three or more days per week (while not at work).									

Preliminary Estimates  
April 2, 2002

Leisure-Time Physical Activity						
2001 Michigan BRFS						
(percentages with 95% confidence interval limits)						
Demographic Characteristics	No Activity <sup>1</sup>			<3 times per week 20 minute sessions <sup>2</sup>	<5 times per week 30 minute sessions <sup>3</sup>	
TOTAL	23.5	"	1.5	"	"	
AGE						
18-24 Years	13.3	"	4.0	"	"	
25-34 Years	21.3	"	3.6	"	"	
35-44 Years	20.1	"	3.0	"	"	
45-54 Years	26.4	"	3.4	"	"	
55-64 Years	24.9	"	4.0	"	"	
65-74 Years	28.6	"	5.0	"	"	
75+ Years	40.7	"	6.0	"	"	
GENDER						
Male	20.5	"	2.2	"	"	
Female	26.2	"	2.0	"	"	
RACE						
White	22.5	"	1.6	"	"	
Black	29.9	"	4.8	"	"	
EDUCATION						
Less than High School	37.9	"	5.3	"	"	
High School Graduate	29.9	"	2.8	"	"	
Some College	21.9	"	2.6	"	"	
College Graduate	10.9	"	2.0	"	"	
HOUSEHOLD INCOME						
<\$20,000	33.7	"	4.5	"	"	
\$20,000-34,999	26.9	"	3.3	"	"	
\$35,000-49,999	21.8	"	3.6	"	"	
\$50,000-74,999	18.1	"	3.5	"	"	
\$75,000	13.3	"	2.9	"	"	
<sup>1</sup> Proportion of respondents who said they did <u>not</u> participate in any physical activities, recreation, or exercises in their leisure time (such as running, golf, or walking for exercise) within the past month.						
<sup>2</sup> Proportion of respondents who said they did <u>not</u> participate in leisure-time physical activities (such as running, golf, or walking for exercise) three or more times per week for a minimum of 20 minutes per session, within the past month.						
<sup>3</sup> Proportion of respondents who said they did <u>not</u> engage in leisure-time physical activity (such as running, golf, or walking for exercise) for a minimum of 30 minutes 5 times per week, within the past month.						

Preliminary Estimates  
April 2, 2002

<b>Occupational Physical Activity Level<sup>1</sup></b> Among Currently Employed Adults 2001 Michigan BRFS (percentages with 95% confidence interval limits)									
Demographic Characteristics	Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or Physically Demanding Work		
<b>TOTAL</b>	<b>61.6</b>	<b>"</b>	<b>2.3</b>	<b>22.1</b>	<b>"</b>	<b>1.9</b>	<b>16.3</b>	<b>"</b>	<b>1.8</b>
<b>AGE</b>									
18-24 Years	44.9	"	7.7	30.3	"	7.2	24.7	"	6.8
25-34 Years	60.2	"	4.8	19.2	"	3.7	20.6	"	4.2
35-44 Years	62.0	"	4.1	21.3	"	3.4	16.8	"	3.2
45-54 Years	64.2	"	4.4	25.0	"	4.0	10.8	"	2.9
55-64 Years	75.9	"	5.6	16.8	"	4.9	7.4	"	3.4
65+ Years	64.2	"	12.7	21.3	"	11.1	14.5	"	9.3
<b>GENDER</b>									
Male	56.2	"	3.4	19.2	"	2.7	24.6	"	3.0
Female	67.7	"	2.9	25.4	"	2.7	6.9	"	1.6
<b>RACE</b>									
White	61.2	"	2.5	21.7	"	2.1	17.1	"	2.0
Black	64.5	"	6.9	24.9	"	6.2	10.6	"	4.5
<b>EDUCATION</b>									
Less than High School	41.0	"	9.1	33.2	"	8.8	25.8	"	8.6
High School Graduate	53.0	"	4.2	24.1	"	3.6	23.0	"	3.7
Some College	57.5	"	4.1	23.7	"	3.5	18.9	"	3.4
College Graduate	78.5	"	3.2	16.5	"	2.9	5.1	"	1.8
<b>HOUSEHOLD INCOME</b>									
<\$20,000	49.1	"	8.9	22.8	"	7.0	28.2	"	8.4
\$20,000-34,999	51.9	"	5.2	23.3	"	4.4	24.8	"	4.7
\$35,000-49,999	59.3	"	5.2	21.3	"	4.2	19.4	"	4.4
\$50,000-74,999	64.2	"	5.0	21.4	"	4.3	14.4	"	3.7
\$75,000	71.6	"	4.4	20.7	"	4.0	7.7	"	2.7
<sup>1</sup> Response to the question, "When you are at work, which of the following best describes what you do? Would you say mostly sitting or standing, mostly walking, or mostly heavy labor or physically demanding work?"									

Preliminary Estimates  
April 2, 2002

<b>Asthma</b> 2001 Michigan BRFSS (percentages with 95% confidence interval limits)						
Demographic Characteristics	Ever Told Asthma <sup>1</sup>			Still Has Asthma <sup>2</sup>		
<b>TOTAL</b>	<b>12.4</b>	<b>"</b>	<b>1.2</b>	<b>8.8</b>	<b>"</b>	<b>1.0</b>
<b>AGE</b>						
18-24 Years	21.4	"	5.1	11.8	"	4.1
25-34 Years	13.2	"	2.9	9.7	"	2.5
35-44 Years	11.1	"	2.4	8.3	"	2.1
45-54 Years	10.2	"	2.3	7.7	"	2.0
55-64 Years	12.3	"	3.0	9.7	"	2.7
65-74 Years	8.2	"	3.2	6.1	"	2.7
75+ Years	10.0	"	3.7	8.3	"	3.5
<b>GENDER</b>						
Male	10.5	"	1.8	6.7	"	1.5
Female	14.1	"	1.6	10.8	"	1.5
<b>RACE</b>						
White	11.7	"	1.3	8.6	"	1.1
Black	17.2	"	4.1	11.2	"	3.5
<b>EDUCATION</b>						
Less than High School	15.2	"	4.1	10.0	"	3.3
High School Graduate	11.7	"	2.1	8.6	"	1.8
Some College	14.3	"	2.4	10.0	"	2.1
College Graduate	9.8	"	2.0	7.3	"	1.7
<b>HOUSEHOLD INCOME</b>						
<\$20,000	18.1	"	3.9	12.5	"	3.2
\$20,000-34,999	13.0	"	2.5	9.5	"	2.2
\$35,000-49,999	13.0	"	3.1	8.7	"	2.6
\$50,000-74,999	9.1	"	2.7	7.4	"	2.5
\$75,000	10.0	"	2.6	7.4	"	2.3
<sup>1</sup> Proportion of all respondents who reported that they had ever been told by a doctor that they had asthma. <sup>2</sup> Proportion of all respondents who reported that they still had asthma.						



Preliminary Estimates  
April 2, 2002

<b>Arthritis</b> 2001 Michigan BRFSS (in percentages with 95% confidence interval limits)			
Demographic Characteristics	Has Arthritis <sup>1</sup>		
<b>TOTAL</b>	<b>38.4</b>	<b>"</b>	<b>1.7</b>
<b>AGE</b>			
18-24 Years	17.1	"	4.5
25-34 Years	21.0	"	3.6
35-44 Years	32.4	"	3.5
45-54 Years	43.8	"	3.8
55-64 Years	53.5	"	4.7
65-74 Years	62.1	"	5.4
75+ Years	73.0	"	5.2
<b>GENDER</b>			
Male	34.9	"	2.6
Female	41.8	"	2.2
<b>RACE</b>			
White	38.7	"	1.9
Black	39.1	"	5.1
<b>EDUCATION</b>			
Less than High School	57.8	"	5.4
High School Graduate	40.8	"	3.0
Some College	36.8	"	3.1
College Graduate	29.1	"	3.0
<b>HOUSEHOLD INCOME</b>			
<\$20,000	48.8	"	4.9
\$20,000-34,999	44.6	"	3.7
\$35,000-49,999	35.2	"	4.1
\$50,000-74,999	33.2	"	4.1
\$75,000	29.4	"	3.9
<sup>1</sup> Reported either that they had joint symptoms on most days for at least one of the past 12 months or that they had been told by a doctor that they had arthritis.			

Preliminary Estimates  
April 2, 2002

<b>Colorectal Cancer Screening</b> Among Adults Aged 50 Years and Older 2001 Michigan BRFS (in percentages with 95% confidence interval limits)												
Demographic Characteristics	Ever Had Blood Stool Test <sup>1</sup>			Had Blood Stool Test in Past Year			Ever Had Sigmoidoscopy or Colonoscopy <sup>2</sup>			Had Sigmoidoscopy or Colonoscopy in Past Five Years		
<b>TOTAL</b>	<b>51.2</b>	<b>"</b>	<b>2.7</b>	<b>25.7</b>	<b>"</b>	<b>2.4</b>	<b>55.2</b>	<b>"</b>	<b>2.7</b>	<b>45.2</b>	<b>"</b>	<b>2.7</b>
<b>AGE</b>												
50-59 Years	44.3	"	4.1	22.1	"	3.4	45.3	"	4.1	37.1	"	4.0
60-69 Years	54.6	"	5.2	27.8	"	4.7	59.1	"	5.2	47.7	"	5.3
70+ Years	57.2	"	4.8	28.6	"	4.5	64.7	"	4.7	53.5	"	4.9
<b>GENDER</b>												
Male	51.5	"	4.2	26.5	"	3.7	56.9	"	4.2	47.3	"	4.3
Female	50.8	"	3.5	25.0	"	3.1	53.8	"	3.5	43.4	"	3.5
<b>RACE</b>												
White	52.9	"	2.9	26.5	"	2.5	55.9	"	2.9	45.9	"	2.9
Black	38.7	"	8.6	21.6	"	7.2	52.0	"	9.0	42.0	"	8.7
<b>EDUCATION</b>												
Less than High School	41.5	"	7.1	24.6	"	6.2	45.7	"	7.2	38.3	"	7.0
High School Graduate	50.7	"	4.6	25.2	"	4.0	51.6	"	4.6	43.5	"	4.6
Some College	54.9	"	5.2	23.9	"	4.5	59.3	"	5.1	48.6	"	5.2
College Graduate	54.2	"	5.4	29.2	"	5.1	62.0	"	5.3	48.6	"	5.5
<b>HOUSEHOLD INCOME</b>												
<\$20,000	44.7	"	6.3	20.1	"	5.0	52.0	"	6.4	40.1	"	6.3
\$20,000-34,999	57.6	"	5.5	29.7	"	5.2	55.9	"	5.5	46.5	"	5.6
\$35,000-49,999	56.3	"	7.4	33.8	"	7.2	57.4	"	7.4	50.5	"	7.5
\$50,000-74,999	51.1	"	7.5	22.2	"	6.1	50.0	"	7.5	39.4	"	7.4
\$75,000	45.0	"	7.3	21.3	"	6.0	60.4	"	7.2	51.0	"	7.4
<sup>1</sup> Reported "yes" to the question, "A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?" <sup>2</sup> Reported "yes" to the question, "A sigmoidoscopy or colonoscopy is when a tube is inserted in the rectum to view the bowel for signs of cancer and other health problems. Have you ever had this exam?"												

Preliminary Estimates  
April 2, 2002

<b>Prostate Cancer Screening</b> Among Men Aged 50 Years and Older <sup>1</sup> 2001 Michigan BRFS (in percentages with 95% confidence interval limits)												
Demographic Characteristics	Ever Had DRE <sup>2</sup>			Had DRE in Past Year			Ever Had PSA Test <sup>3</sup>			Had PSA in Past Year		
<b>TOTAL</b>	<b>87.0</b>	<b>"</b>	<b>3.0</b>	<b>59.2</b>	<b>"</b>	<b>4.4</b>	<b>78.1</b>	<b>"</b>	<b>3.7</b>	<b>60.2</b>	<b>"</b>	<b>4.4</b>
<b>AGE</b>												
50-59 Years	84.1	"	4.7	53.2	"	6.2	72.2	"	5.7	52.5	"	6.3
60-69 Years	91.2	"	4.3	64.6	"	8.1	83.9	"	6.2	69.3	"	8.0
70+ Years	88.5	"	6.6	65.5	"	9.0	83.4	"	7.3	66.0	"	9.1
<b>RACE</b>												
White	89.2	"	2.9	61.0	"	4.5	79.0	"	3.9	61.7	"	4.6
Black	72.0	"	16.2	44.7	"	16.7	72.6	"	15.6	47.5	"	16.9
<b>EDUCATION</b>												
#HS Graduate	84.2	"	5.2	55.0	"	6.8	76.8	"	5.9	58.8	"	6.8
>HS	89.3	"	3.5	62.4	"	5.6	79.1	"	4.7	61.3	"	5.7
<b>HOUSEHOLD INCOME</b>												
<\$35,000	85.1	"	5.4	56.3	"	7.2	77.0	"	6.3	62.5	"	7.1
\$35,000	88.5	"	4.1	61.8	"	6.2	80.0	"	5.2	60.7	"	6.3
<sup>1</sup> Men who had been diagnosed with prostate cancer (7.7%) were excluded. <sup>2</sup> Reported "yes" to the question, "A digital rectal exam (DRE) is an exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?" <sup>3</sup> Reported "yes" to the question, "A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?"												

Preliminary Estimates  
April 2, 2002

<b>HIV/AIDS Testing</b> Among Adults Aged 18-64 Years 2001 Michigan BRFS (percentages with 95% confidence interval limits)					
Demographic Characteristics	Very Important to Know HIV Status <sup>1</sup>			Ever Tested for HIV <sup>2</sup>	
<b>TOTAL</b>	<b>89.6</b>	<b>"</b>	<b>1.2</b>	<b>46.8</b>	<b>" 2.04</b>
<b>AGE</b>					
18-24 Years	94.2	"	2.9	42.5	" 5.9
25-34 Years	91.6	"	2.4	67.8	" 4.1
35-44 Years	89.2	"	2.4	54.1	" 3.7
45-54 Years	87.4	"	2.5	33.8	" 3.6
55-64 Years	85.6	"	3.3	22.2	" 3.8
<b>GENDER</b>					
Male	87.4	"	2.0	44.5	" 3.0
Female	91.8	"	1.3	49.0	" 2.5
<b>RACE</b>					
White	89.0	"	1.3	44.6	" 2.1
Black	94.7	"	2.6	59.6	" 5.8
<b>EDUCATION</b>					
Less than High School	92.8	"	3.4	46.7	" 7.2
High School Graduate	90.3	"	2.0	44.1	" 3.5
Some College	89.5	"	2.3	47.2	" 3.5
College Graduate	88.0	"	2.3	49.7	" 3.6
<b>HOUSEHOLD INCOME</b>					
<\$20,000	91.2	"	3.7	47.7	" 6.1
\$20,000-34,999	90.9	"	2.4	49.6	" 4.3
\$35,000-49,999	85.6	"	3.3	49.5	" 4.7
\$50,000-74,999	91.0	"	2.6	44.9	" 4.6
\$75,000	90.8	"	2.4	44.3	" 4.3
<sup>1</sup> Responded "very important" to the question, "How important do you think it is for people to know their HIV status by getting tested? Would you say very important, somewhat important, or not at all important?" "Don't know" (1.4%) was considered a valid response. <sup>2</sup> Reported "yes" to the question, "As far as you know, have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation." "Don't know" (3.1%) was considered a valid response.					

Preliminary Estimates  
April 2, 2002

<b>HIV/AIDS Knowledge</b> Among Adults Aged 18-64 Years 2001 Michigan BRFS (in percentages with 95% confidence interval limits)									
Demographic Characteristics	Prenatal HIV Treatments <sup>1</sup>			Treatments to Lengthen Life <sup>2</sup>			Treatments Very Effective <sup>3</sup>		
<b>TOTAL</b>	<b>50.5</b>	<b>"</b>	<b>2.0</b>	<b>91.3</b>	<b>"</b>	<b>1.1</b>	<b>20.6</b>	<b>"</b>	<b>1.6</b>
<b>AGE</b>									
18-24 Years	53.9	"	6.0	92.0	"	3.2	16.1	"	4.8
25-34 Years	55.0	"	4.3	92.6	"	2.3	18.8	"	3.4
35-44 Years	49.7	"	3.8	92.4	"	2.0	20.9	"	3.2
45-54 Years	46.5	"	3.8	90.5	"	2.4	21.9	"	3.3
55-64 Years	46.8	"	4.7	87.6	"	3.2	26.0	"	4.4
<b>GENDER</b>									
Male	44.8	"	3.0	91.4	"	1.7	18.4	"	2.5
Female	56.0	"	2.5	91.2	"	1.4	22.6	"	2.2
<b>RACE</b>									
White	50.1	"	2.2	92.8	"	1.1	20.3	"	1.8
Black	52.7	"	5.8	84.8	"	4.2	22.1	"	5.2
<b>EDUCATION</b>									
Less than High School	50.7	"	7.2	79.4	"	5.9	14.1	"	5.6
High School Graduate	46.5	"	3.5	86.6	"	2.4	15.3	"	2.7
Some College	47.1	"	3.5	93.9	"	1.6	19.5	"	2.9
College Graduate	59.2	"	3.5	97.7	"	1.0	28.9	"	3.2
<b>HOUSEHOLD INCOME</b>									
<\$20,000	49.7	"	6.1	87.1	"	3.9	18.7	"	5.4
\$20,000-34,999	51.3	"	4.3	88.4	"	2.8	18.2	"	3.6
\$35,000-49,999	53.4	"	4.7	93.5	"	2.3	18.2	"	3.6
\$50,000-74,999	48.6	"	4.6	95.8	"	1.8	22.7	"	3.8
\$75,000	53.3	"	4.4	95.3	"	1.8	25.1	"	3.8
<sup>1</sup> Reported that they thought the following statement was true, "A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby." "Don't know" (28.5%) was considered a valid response. <sup>2</sup> Reported that they thought the following statement was true, "There are medical treatments available that are intended to help a person who is infected with HIV to live longer." "Don't know" (6.0%) was considered a valid response. <sup>3</sup> Among those who thought that there are HIV treatments designed to prolong life, the proportion who reported they thought these treatments were very effective. "Don't know" (12.2%) was considered a valid response.									

Preliminary Estimates  
April 2, 2002

<b>Alcohol Use</b> 2001 Michigan BRFS (in percentages with 95% confidence interval limits)									
Demographic Characteristics	Consumed Any Alcohol in Past Month <sup>1</sup>			Heavy Drinking <sup>2</sup>			Binge Drinking <sup>3</sup>		
<b>TOTAL</b>	<b>57.1</b>	<b>"</b>	<b>1.7</b>	<b>5.7</b>	<b>"</b>	<b>0.9</b>	<b>18.2</b>	<b>"</b>	<b>1.5</b>
<b>AGE</b>									
18-24 Years	71.0	"	5.3	10.3	"	4.0	35.9	"	5.9
25-34 Years	64.1	"	4.2	4.7	"	2.0	28.1	"	4.0
35-44 Years	63.8	"	3.6	5.8	"	1.7	18.7	"	2.9
45-54 Years	56.5	"	3.8	6.5	"	2.0	13.9	"	2.7
55-64 Years	51.0	"	4.7	4.1	"	1.8	9.3	"	2.8
65-74 Years	39.7	"	5.4	4.5	"	2.5	5.9	"	3.0
75+ Years	30.1	"	5.6	2.5	"	1.9	2.8	"	1.9
<b>GENDER</b>									
Male	65.6	"	2.7	9.9	"	1.7	27.4	"	2.6
Female	49.7	"	2.3	2.0	"	0.6	9.8	"	1.4
<b>RACE</b>									
White	60.1	"	1.9	6.0	"	1.0	18.9	"	1.6
Black	42.7	"	5.3	4.0	"	2.4	15.5	"	4.2
<b>EDUCATION</b>									
Less than High School	40.2	"	5.6	5.7	"	2.8	18.2	"	4.7
High School Graduate	48.8	"	3.2	5.4	"	1.5	17.2	"	2.5
Some College	63.6	"	3.1	6.0	"	1.7	21.6	"	2.9
College Graduate	67.7	"	3.1	5.8	"	1.6	15.5	"	2.5
<b>HOUSEHOLD INCOME</b>									
<\$20,000	44.8	"	4.9	5.0	"	2.5	19.0	"	4.4
\$20,000-34,999	51.3	"	3.8	6.3	"	2.0	18.1	"	3.1
\$35,000-49,999	62.3	"	4.2	5.8	"	2.2	20.4	"	3.7
\$50,000-74,999	65.4	"	4.2	6.5	"	2.3	20.5	"	3.7
\$75,000	73.3	"	3.7	6.2	"	2.1	19.8	"	3.6
<sup>1</sup> Proportion of respondents who reported having had at least one alcoholic drink in the past month. <sup>2</sup> Proportion of respondents who reported consuming 60 or more alcoholic beverages in the past month. <sup>3</sup> Proportion of respondents who reported consuming five or more drinks per occasion at least once in the previous month.									

Preliminary Estimates  
April 2, 2002

<b>Firearms in the Home</b> 2001 Michigan BRFS (in percentages with 95% confidence interval limits)			
Demographic Characteristics	Firearms Kept in Home <sup>1</sup>		
<b>TOTAL</b>	<b>38.3</b>	<b>"</b>	<b>1.8</b>
<b>AGE</b>			
18-24 Years	30.2	"	5.6
25-34 Years	32.3	"	4.1
35-44 Years	40.7	"	3.8
45-54 Years	46.1	"	3.9
55-64 Years	46.1	"	4.8
65-74 Years	40.2	"	5.6
75+ Years	31.1	"	5.9
<b>GENDER</b>			
Male	44.5	"	2.8
Female	33.1	"	2.2
<b>RACE</b>			
White	42.2	"	1.9
Black	18.5	"	4.3
<b>EDUCATION</b>			
Less than High School	34.8	"	5.3
High School Graduate	45.6	"	3.2
Some College	37.5	"	3.3
College Graduate	32.2	"	3.1
<b>HOUSEHOLD INCOME</b>			
<\$20,000	25.6	"	4.5
\$20,000-34,999	36.8	"	3.7
\$35,000-49,999	44.8	"	4.4
\$50,000-74,999	47.2	"	4.5
\$75,000	41.6	"	4.3
<sup>1</sup> Reported "yes" to the question, "Are any firearms now kept in or around your home? Include those kept in a garage, outdoor storage area, car, truck, or other motor vehicle."			